

Global Pioneer in NDT Consumables & Equipment



MATERIAL SAFETY DATA SHEET

ZChek - DL Aerosol

Prepared according to the Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Prepared: Nov-23 Supersedes: 05

Section 1: Product and Company Identification

1.1 Product Name: ZChek- DL-Aerosol

1.2Product Use: Developer for Dye Penetrant Inspection Process.

 ${\bf 1.3 Manufacturer\ Information:}\ Z chem\ Specialities\ Private\ Limited.$

Sy. No.11/2/6, Puradapalya Village Tavarekere Hobli, Bangalore

,Karnataka-562130, India **Website**: <u>www.zchem.in</u>

Emergency Telephone Number: +91-9959963334

Section 2: Hazards Identification

2.1Hazard Classification

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 1 Health, Aspiration hazard, 1

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER GHS Hazard Pictograms:







GHS Hazard Pictograms:

H222 - Extremely flammable aerosol

H304 - May be fatal if swallowed and enters airways

H229 - Pressurized container: may burst if heated

GHS Precautionary Statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash ... thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.











Global Pioneer in NDT Consumables & Equipment



P308 + P311 - IF exposed or concerned: Call a POISON CENTER/doctor/...

P370 + P378 - In case of fire: Use dry chemical, alcohol resistant foam or dry sand to extinguish.

P403 + P235 - Store in a well-ventilated place. Keep cool.

 $P501 - Dispose \ of \ contents/container \ in \ accordance \ with \ local/regional/national/international \ regulations$

2.5 Classification system

HMIS- ratings (scale0-4)

Health -2

Fire -4

Reactivity -0

NFPA-ratings (scale0-4)

Fire- 4 Health-2 Reactivity-0



2.6 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

Section 3 - Information on Ingredients

Ingredient	CAS#	Wt/wt%
Propan- 2-ol	67-63-0	40-70%
Propan-2-one	67-64-1	10-30%
LPG	68476-86-8	20-30%
Talc	14807-96-6	1-3%

Section 4 -First Aid Measures


Eyes: Rinse carefully using plenty of water.

Skin: Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. DO NOT use ointments. Seek medical attention if irritation persists.

Inhalation: Immediately move victim to fresh air. If victim is not breathing, immediately begin rescue breathing. If heart has stopped, immediately begin cardiopulmonary resuscitation (CPR). If breathing is difficult, seek medical attention immediately.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below











Global Pioneer in NDT Consumables & Equipment



knees. If victim is drowsy or unconscious, place on the left side with head down. DO NOT leave victim unattended. Seek medical attention immediately.

Section 5: Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguisher agents:

- CO2, sand, extinguishing powder. Do not use water.
- Water haze
- Foam
- ABC Powder

For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture Spray cans are under pressure. Carbon monoxide and carbon dioxide,

5.3 Advice for fire fighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

6.2 Environmental precautions : Do not allow to enter sewers, surfaces or ground water.

6.3 Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents.
- Collect liquid in an appropriate container or absorb with an inert material such as vermiculite, dry sand or earth; DO NOT use combustible materials.
- Place in a chemical waste container.

Section 7: Handling and Storage

7.1Prevention for safe handling:

- DO NOT spray into or around ignition sources. DO NOT allow material to come in contact with eyes or skin. Wear appropriate protective equipment during handling. Keep container closed.
- Avoid breathing vapors or mists. Use only with adequate ventilation. Wash thoroughly after handling.
- Protect against electrostatic charges.
- DO NOT expose to temperature above 120° F (50°C)

Use explosion-proof apparatus/fittings and spark-proof tools.

• Containers may be hazardous when empty since residue liquid and vapors may be present.

7.2 Conditions for safe Storage:

- · No smoking.
- Store in cool, dry conditions in well-sealed receptacles. Do not spray around arcs or flame.











Global Pioneer in NDT Consumables & Equipment



Section 8: Exposure Controls and Personal Protection

8.1 Control Parameters

Propan- 2-ol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm
OSHA	OSHA PEL (TWA) mg/m ³	980 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
USA-IDLH	US IDLH (ppm)	2000 ppm(10% LEL)
USA –NIOSH	NIOSH REL (TWA) (mg/m3)	980 mg/m ³
USA –NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
USA- NIOSH	NIOSH REL (STEL) (mg/m ³)	1225 mg/m ³
USA –NIOSH	NIOSH REL (STEL) (ppm)	500 ppm
Propan-2-one (67-64-1)		
ACGIH	ACGIH TWA (mg/m³)	1188 mg/m ³ /8h
ACGIH	ACGIH TWA (ppm)	500 ppm/8h
ACGIH	ACGIH STEL (mg/m ³)	1782 mg/m ³ /15min
ACGIH	ACHIH STEL (ppm)	750 ppm/15min
OSHA	OSHA PEL (TWA) mg/m ³	2400 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
USA-IDLH	US IDLH (ppm)	2500 ppm(10% LEL)
USA –NIOSH	NIOSH REL (TWA) (mg/m3)	590 mg/m ³ /10h
USA –NIOSH	NIOSH REL (TWA) (ppm)	250 ppm/10h
LPG (68476-86-8)		
OSHA	OSHA PEL TWA(ppm)	1000ppm

8.2. Exposure Controls

Engineering Controls: Provide general and/or local exhaust ventilation to keep exposures below the exposure guidelines mentioned above.

Personal protection: Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Respirator with filter if sprayed in enclosed unventilated space







General Hygiene Considerations: Wash thoroughly after handling. Have eye-wash facilities immediately available.





Global Pioneer in NDT Consumables & Equipment



Section 9: Physical and Chemical Properties

Appearance:

Form: Aerosol: Spray can under pressure. White liquid, gas propellant.

Color: White

Odor: Characteristic

Odor threshold: Not determined pH value: Not applicable Melting point: Not determined

Boiling point: Not available

Flammability (solid, gaseous)- Not applicable

Flash point (bulk): - 16 deg.C

Ignition temperature: No data available Decomposition temperature: Not determined

Auto-ignition temperature- Product is not self igniting

Danger of explosions: Can under pressure with a flammable gas.

Explosions limit: No determined

Lower: Not determined Upper: Not determined

Vapour pressure at 20 deg.C: Not determined

Solubility /miscibility with water: Not miscible or difficult to mix

Partition Coefficient: Not determined

Viscosity:

Dynamic- Not determined Viscosity- Not determined

VOC Content: 86%

Vapor density: Not available

Evaporation rate: Not data available.

Section 10: Stability and Reactivity

Stability: Stable.

Conditions to Avoid: Keep away from heat and ignition sources.

Incompatibility: None

 $\textbf{Hazardous Decomposition:} \ When \ burning, soot, oxides \ of \ carbon \ and \ nitrogen.$

Reactivity: None

Section 11: Toxicological Information

Propan - 2-ol (67-63-0)		
LD 50 oral rat	5840 mg/kg	
LD 50 dermal rabbit	>12800 mg/kg	
LC 50 inhalation rat	>10000 ppm/6h	











Global Pioneer in NDT Consumables & Equipment



Propan-2-one (67-64-1)		
LD 50 oral rat	5800 mg/kg	
LC 50 inhalation rat	76 mg/l/4h(female)	
LC 50 inhalation rat	132 mg/l/3h (Male)	

Primary irritant effect

- Skin: No irritant effect.
- Eye: Irritating effect
- Sensitization: No sensitizing effects known

Canain a cania catacania

Carcinogenic categories		
IARC(International Agency for Research of Cancer)-67-63-0 Propan-2-ol -3		
NTP (National Toxicology Program) - None of the ingredients listed		
OSHA-Ca (Occupational Safety and Health Administration)-None of the ingredients is listed		

Section 12: Ecological Information

- **12.1.**Ecology: General: May cause long term adverse effect in the aquatic environment.
- **12.2. Persistence and degradability**: No further relevant information available.
- 12.3. Bioaccumulative potential: No further relevant information available
- **12.4. Mobility in soil:** No further information available.

Water hazard class1(self- assessment): slightly hazardous for water.

Section 13: Disposal Considerations

13.1. Waste treatments methods

Recommendation:

- Must not be disposed of together with household garbage. Do not allow product to reach sewage
- Waste/unused products
- Collect all waste in suitable and labeled containers and dispose according to local legislation.

13.2. Un-cleaned packaging's:

Recommendation:

Waste/used products Waste products and empty packages dispose of in accordance with local regulations.

Empty containers may contain flammable residue and vapors.











Global Pioneer in NDT Consumables & Equipment



Section 14: Transport Information

Section 14: Transport Information	T
14.1 UN -Number	Consumer commodity ORM-D
	UN 1950
DOT, ADR,IMDG,IATA	
14.2 UN proper shipping name	
• DOT -	Consumer commodity ORM-D
ADR, IMDG,IATA	Aerosols, flammable
, -,	
14.3 Transport Hazard class(es)	
a production of the control of the c	
DOT	
CONSUMER COMMODITY	ORM-D – No hazard class
ORM-D	
ADR, IMDG,IATA	+
ADA, INDUJATA	
	Class Agreeds flammable 2.1
	Class – Aerosols flammable, 2.1
	Elammable gas 2.1
	Flammable gas, 2.1
*	
	+
14.4 Packing group	
DOT	Not applicable
	Not applicable
ADR,IMDG,IATA	None
44 F European and The cont	_
14.5 Environmental hazards	Not soulisable
Marine pollutant	Not applicable
44.60	TAY : Ell 33 C
14.6 Special precautions for user	Warning: Flammable Gas
Transport/ Additional information:	
DOT	
Quantity limitations	
On passenger aircraft/ railway :- 75 kg	
On cargo aircraft only:- 150 kg	





Global Pioneer in NDT Consumables & Equipment



Section 15: Regulatory Information

15.1 Safety, Health and Environmental Regulations/ Legislation specific for the substance or mixture.

SARA:- Section 355 (extremely hazardous substances): None of the ingredient is listed.

Section 313 (Specific toxic chemical listings); 67-63-0 propan-2-ol

Section 311/312 Fire hazard Acute health hazard

TSCA (Toxic Substance Control Act):-All components listed

Proposition 65

Chemicals Known to cause cancer: None of the ingredients is listed

Carcinogenicity Categories

EPA (Environmental Protecting Agency) –None of the ingredients listed.

NIOSH (National Institute For Occupational Safety And Health)-None of the ingredients is listed.

15.2 Chemical safety assessment:- A Chemical Safety Assessment has not been carried out. Note: This MSDS has been prepared to meet WHMIS 2015 (Canada) requirements.

Section 16: Other Information

Disclaimer To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Doc No.: ZChem/Msds/DL/D001/Nov-23 (Version-6)