

Global Pioneer in NDT Consumables & Equipment



## MATERIAL SAFETY DATA SHEET ZChek – FB-Aerosol

Prepared according to the Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Prepared: Nov-23 Supersedes: 04

### Section 1: Product and Company Identification

1.1 Product Name: ZChek-FB-Aerosol

1.2Product Use: Magnetic Particle Inspection Process.
1.3Manufacturer Information: ZChemSpecialities Private Limited.
Sy. No.11/2/6, Puradapalya Village TavarekereHobli, Bangalore, Karnataka-562130, India Website: www.zchem.in
Emergency Telephone Number: +91-9959963334

### Section 2: Hazards Identification

2.1Hazard Classification Classification of Substance GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS): Physical, Flammable Aerosols, 1 Health, Aspiration hazard, 1 GHS Label Elements, Including Precautionary Statements GHS Signal Word: DANGER GHS Hazard Pictograms:



### **GHS Hazard Statements:**

- H222 Extremely flammable aerosol
- H229 Pressurized container: may burst if heated
- H304 May be fatal if swallowed and enters airways

### **GHS Precautionary Statements**:

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash ... thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P281 Use personal protective equipment as required.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P308 + P311 - IF exposed or concerned: Call a POISON CENTER/doctor/...

P370 + P378 - In case of fire: Use dry chemical, alcohol resistant foam or dry sand to extinguish.

Sy.No. 11/2/6, Puradapalya Village Tavarekere Hobli, Bangalore, Karnataka - 562130, India



www.zchem.in

🖂 info@zchem.in




### Global Pioneer in NDT Consumables & Equipment



P403 + P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.5 Classification system



Results of PBT and vPvB assessment PBT: Not applicable vPvB: Not applicable

### **Section 3 – Information on Ingredients**

Ingredient	CAS#	Wt/wt%
Distillates(petroleum) Hydrated light	64742-47-8	80-90%
LPG	68476-86-8	20-30%

### Section 4 -First Aid Measures

**Eyes:** Rinse carefully using plenty of water.

**Skin:** Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. DO NOT use ointments. Seek medical attention if irritation persists.

**Inhalation:** Immediately move victim to fresh air. If victim is not breathing, immediately begin rescue breathing. If heart has stopped, immediately begin cardiopulmonary resuscitation (CPR). If breathing is difficult, seek medical attention immediately.

**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. DO NOT leave victim unattended. Seek medical attention immediately.

### **Section 5: Fire Fighting Measures**

### **5.1 Extinguishing media**

- Suitable extinguisher agents:
  - CO2, sand, extinguishing powder. Do not use water.
  - Water haze
  - Foam
  - ABC Powder

### Sy.No. 11/2/6, Puradapalya Village Tavarekere Hobli, Bangalore, Karnataka - 562130, India

+91 73491 77755, +91 73492 77755

www.zchem.in

🖂 info@zchem.in



Global Pioneer in NDT Consumables & Equipment



### For safety reasons unsuitable extinguishing agents : Water with full jet.

5.2 Special hazards arising from the substance or mixtureSpray cans are under pressure. Carbon monoxide and carbon dioxide.5.3 Advice for fire fighters

#### **Protective equipment:**

Wear self-contained respiratory protective device. Wear fully protective suit.

### Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

6.2 Environmental precautions: Do not allow to enter sewers, surfaces or ground water.

6.3 Methods and material for containment and cleaning up:

- Absorb with liquid-binding material(sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents.
- Collect liquid in any appropriate containers or absorb with an inert materials such as vermiculite, dry sand or earth; DO NOT use combustible materials.
- Place in a chemical waste container.

### Section 7: Handling and Storage

7.1Prevention for safe handling:

- DO NOT spray into or around ignition sources. DO NOT allow material to come in contact with eyes or skin. Wear appropriate protective equipment during handling. Keep container closed. Avoid breathing vapors or mists. Use only with adequate ventilation. Wash thoroughly after handling.
- Protect against electrostatic charges.
- DO NOT expose to temperature above 120° F (50°C)
- Use explosion-proof apparatus/fittings and spark-proof tools.
- Containers may be hazardous when empty since residue liquid and vapours may be present.

### 7.2 Conditions for safe Storage:

- No smoking.
- Store in cool, dry conditions in well sealed receptacles. Do not spray around arcs or flame.

### Section 8: Exposure Controls and Personal Protection

### 8.1 Control Parameters

Distillates (Petroleum) hydrated light-64742-47-8			
OSHA	OSHA PEL TWA (mg/m <sup>3</sup> )	5mg/m <sup>3</sup>	
LPG- 68476-86-8			
OSHA	OSHA PEL TWA(ppm)	1000ppm	

### 8.2. Exposure Controls

**Engineering Controls:** Provide general and/or local exhaust ventilation to keep exposures below the exposure guidelines mentioned above.

Sy.No. 11/2/6, Puradapalya Village Tavarekere Hobli, Bangalore, Karnataka - 562130, India

📞 🛛 +91 73491 77755, +91 73492 77755

www.zchem.in

🖾 info@zchem.in



Global Pioneer in NDT Consumables & Equipment



**Personal protection**: Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Respirator with filter if sprayed in enclosed unventilated space.



**General Hygiene Considerations:** Wash thoroughly after handling. Have eye-wash facilities immediately available.

### **Section 9: Physical and Chemical Properties**

Appearance: Form : Aerosol: Spray can under pressure. Liquid with fluorescent suspended particles,gas propellant. Color: Colorless liquid Odor: Mild Petroleum/solvent Odor threshold: Not determined. pH value: Not determined. Melting point: Not determined. Boiling point: Not determined Flammability (solid, gaseous)- Not applicable Flash point (Bulk): 100 deg.C Ignition temperature: No data available Decomposition temperature: Not determined. Auto-ignition temperature- Product is not self-igniting. Danger of explosions: Can under pressure with a flammable gas. Vapour pressure at 20 deg.C: Not determined Evaporation rate(n-butyl acetate=1):Not determined Solubility /miscibility with water: Negligible Partition Coefficient: Not determined Viscosity: Not applicable Vapor density: (Air=1): Not determined Evaporation rate: Not determined.

### **Section 10: Stability and Reactivity**

Stability: Stable.Conditions to Avoid: Keep away from heat and ignition sources.Incompatibility: NoneHazardous Decomposition: When burning, soot, oxides of carbon and nitrogen.Reactivity: NoneSection 11: Toxicological Information

**11.1 Information on toxicological effects Acute toxicity:** information on hazardous ingredients **Primary irritant effect** 

- Skin: No irritant effect.
- Eye: Irritating effect
- Sensitization: No sensitizing effects known

Sy.No. 11/2/6, Puradapalya Village Tavarekere Hobli, Bangalore, Karnataka - 562130, India

+91 73491 77755, +91 73492 77755

www.zchem.in

🖾 info@zchem.in



Global Pioneer in NDT Consumables & Equipment



### Carcinogenic categories

IARC(International Agency for Research of Cancer)- Contains no ingredients listed as carcinogen.

NTP (National Toxicology Program) - None of the ingredients listed

OSHA-Ca (Occupational Safety and Health Administration)-None of the ingredients is listed

### **Section 12: Ecological Information**

**12.1.Ecology:** General: May cause long term adverse effect in the aquatic environment.

**12.2. Persistence and degradability:** No further relevant information available.

12.3. Bioaccumulative potential: No further relevant information available

**12.4. Mobility in soil:** No further information available.

Water hazard class1(self- assessment): slightly hazardous for water.

### **Section 13: Disposal Considerations**

### 13.1. Waste treatments methods

Recommendation:

- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Waste/unused products
- Collect all waste in suitable and labeled containers and dispose according to local legislation.

### **13.2. Un-cleaned packaging:**

Recommendation: Waste/used products. Waste products and empty packages dispose of in accordance with local regulations. Empty containers may contain flammable residue and vapors.

### **Section 14: Transport Information**

14.1 UN -Number	Consumer commodity ORM-D
DOT, ADR,IMDG,IATA	UN 1950
<b>14.2 UN proper shipping name</b> • DOT -	Consumer commodity ORM-D
• ADR, IMDG,IATA	Aerosols, flammable
14.3 Transport Hazard class(es)	
DOT	Class – Not applicable
CONSUMER COMMODITY	ORM-D

Sy.No. 11/2/6, Puradapalya Village Tavarekere Hobli, Bangalore, Karnataka - 562130, India

📞 | +91 73491 77755, +91 73492 77755

🖾 info@zchem.in

() www.zchem.in



Global Pioneer in NDT Consumables & Equipment



ADR, IMDG,IATA	
	Class – Aerosols flammable, 2.1 Flammable gas, 2.1
<b>14.4 Packing group</b> DOT ADR,IMDG,IATA	Packing Group II
<b>14.5 Environmental hazards</b> Marine pollutant	Not applicable
14.6 Special precautions for user	Not applicable
<b>Transport/ Additional information:</b> DOT Quantity limitations On passenger aircraft/ railway :- 75 kg On cargo aircraft only:- 150 kg	·

### **Section 15: Regulatory Information**

# 15.1 Safety, Health and Environmental Regulations/ Legislation specific for the substance or mixture.

- SARA:- Section 302 (extremely hazardous substances): None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings); None of the ingredients is listed.
- Section 311/312 Fire hazard Acute health hazard
- TSCA (Toxic Substance Control Act):- 64742-47-8 Distillates(petroleum), hydrotreated light
- Proposition 65
- Chemicals Known to cause cancer: None of the ingredients is listed
- Carcinogenicity Categories
- **EPA (Environmental Protecting Agency)** –None of the ingredients listed.
- NIOSH (National Institute For Occupational Safety And Health)-None of the ingredients is listed.
- TLV (Threshold limit Value established by ACGIH) None of the ingredients is listed.

**15.2 Chemical safety assessment:-** A Chemical Safety Assessment has not been carried out. Note: This MSDS has been prepared to meet WHMIS 2015 (Canada) requirements.

+91 73491 77755, +91 73492 77755

www.zchem.in

🖂 info@zchem.in



Global Pioneer in NDT Consumables & Equipment



### **Section 16: Other Information**

**Disclaimer** To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Doc No.: ZChem/Msds/fb/L001/Nov-23 (Version-5)

Sy.No. 11/2/6, Puradapalya Village Tavarekere Hobli, Bangalore, Karnataka - 562130, India

+91 73491 77755, +91 73492 77755

🖂 🛛 info@zchem.in

www.zchem.in